Resort SHELTER

designed and constructed by Ark-Shelter


Resort SHELTER


escape it all
www.ark-shelter.com

Perks of Ark
Cabin cluster
How we work

How we work

Interested?





A residence that radiates hospitality

Imagine a resort in an idyllic place where mental and physical batteries can be fully recharged. Together with land or holiday resort owners we create inspiring venues, connected to the surrounding nature, giving guests a sense of privacy and connectedness at the same time. The combination of clean architecture, natural light and durable materials ensure the ideal atmosphere for guests. The modular building process furthermore ensures your new resort can open its doors within the briefest delays.



■ Wow-Shelter

Through the years we've made some different and challenging realizations. From a sauna on skis to a floating restaurant on a lake. A cabin flying high in the sky by helicopter to be installed on a rooftop deck.































■ Perks of Ark

<u>Versatile</u> — Our designers ensure that you get the best-looking result, a perfect fit with the surroundings and equipped with all the options you desire.

<u>Modular</u> — By using our modular system you can have single units, but as easily you can combine units, creating multiple room family houses, restaurants, receptions etc.

<u>Speed</u> — Multiple units can be installed and connected in one day. Combined with minimal construction time and a fully prefabricated arrival, with no on-site work, your investment will begin to pay off almost immediately.

<u>Mobile</u> — When renovations are in order, the units can be swapped so the park can always operate on full capacity.

<u>Easy</u> — Working with sheet material always allows easy access in the highly unlikely case of trouble. No need to chop, drill, saw, replaster or repaint when small maintenance works need to be carried out.

<u>Standardized</u> — Technical parts of different units within the same park or hotel always remain identical, making maintenance and repairs easier for your staff.








■ Ecologic

Water retention in the country — 30cm thick the green roof of substrate with a hydroaccumulation layer can catch impact rains, unlike ordinary sloping or flat roofs.

Multiplication of the country's habitat area—
the combination of a green roof with the
installation of the object on pillars to
levitate over the untouched landscape
doubles the area of the landscape habitat.

Maintaining the natural climate of the forest environment — the green roof, wooden facades and ventilated soil under the building absorb heat during hot days, water during heavy rains and then gradually release into the environment, similar to the habitat of forests and meadows of the surrounding landscape.

Material fusion with the landscape — wooden facades made of vertical black slats merge with the trunks of the tree line surrounding the forest. Close contact with the forest evokes the atmosphere when the treetops above the buildings are formed by imaginary saddle roofs, this phenomenon is also manifested when viewed from the interior through the glazed parts of the roofs when the treetops are formed by exposed structures of vaults and trusses.



■ Prefabricated

Minimization of tree felling — due to the fact that the modules are finally manufactured in the factory, they can be planted as cells exactly between the tree trunks on pre-prepared ground screws, so there is no risk of breaking the root systems or trunks and the buildings come into closer contact with the forest.

Minimization of construction traffic and waste

— the finished modules are mounted on the ground screws by means of a crane within one day, which, even with the preparation of the ground screws, reduces the construction process with one week. In contrast to standard masonry construction, which lasts X months and, in addition to noise, also leaves construction waste after concreting or waste from individual building materials, our method of construction is far more liberating for the surrounding landscape.

Local materials and economy — cabins are a Slovak product made from ecological materials in order to support the Slovak economy.



Ⅲ Björnson Ski-Hotel

Double Units 14 x Wellness Cabins 4 x

III Emma Wanderer

Single Cabins 30 x

■ Examples

Design and Build projects

Teuptitz

Teplicka

Tále






Björnson Ski-Hotel

Constructed


Double Units

Wellness Cabins



Björnson marked the first mayor partnership for Ark-Shelter. Located high in the Tatra mountains they wanted to expand their existing hotel with modern lodges that blend into the beautiful landscape. In phase one we added 28 lodges in 14 double cabin clusters, tucked away on the slopes in the forest. Getting there was a challenge we easily overcame and the

rigid timber frames worked seamlessly with the complex foundations. We love challenging projects and it brings us great joy to see such a result, with a satisfied investor and many enthusiastic guests over the years. Our flexbility and quality are confirmed by the 2nd and 3rd phase that are currently being executed.














III Ema Wanderer

Constructed and participated in design



At the feet of the alps, in Hieflau, at the entrance of Gesäuse National Park, one can find the Emma Wanderer remote work campus. Together with the owners' team and ours we started designing their first remote work campus. Companies can come here for active incentives or seminars, and professionals can us this as a remote working hub where the surrounding


nature, clean architecture and the warmth of wood serve as a mentally inspiring atmosphere. The value of professional cross-polination by bringing different industries, nationalities and cultures together is priceless.
















■ The way we work

We find out your needs, design multiple variations with 3D renders and we present you the project with the full budget.



01

Let's get to know each other — We are interested to hear about your project and ideas! Explain us what you imagine and we will show how we can use our modular building system, to help you realize your vision.



02

We go in a design phase — We start drawing, in close dialogue with you. We take your ideas and turn these into a plan with renders and detailed drawings. Once satisfactory we will calculate the detailed building budget. Due to our controlled and streamlined production process the budget is in tighter control than through regular building.



- 0

Let's build and place — Once we start manufacturing your vision, our dialogue will rapidly accelerate. You can see your dream growing. Once it's ready we deliver it and install it at your desired location.



_ ,


<u>Change your projects</u> — Whenever you feel the necessity of change or any evolution; contact us and we will show you several options on how your building can easily transform.

☒ Composition of cabin structures

Roof & Floor

Basic


- hydroinsulation TPO foil / flagon/
- OSB board / 18 mm / hydroponic OSB
- levelling framing + thermal insulation, mineral rockwool boards in the slope 20-100 mm
- construction timber / height 160 mm / + thermal insulation, mineral rockwool boards / rockmin plus 160 mm /
- double tape Rothoblaas Double Band
- reflective foil delta Rothoblaas BARRIER ALU NET SD150 or DÖRKEN
- sealing tape Rothoblaas Nail plaster Gemini
- timber framing / 25 mm / for instalation wiring
- bioplate wooden cladding / 18 mm /



- OAK floor / 14 mm / or VINYL floor / 6.5 mm /
- OSB board / 22 mm /
- construction timber / height 200 mm / + thermal insulation, mineral rockwool boards / 200 mm /
- watherproof plywood board / 9 mm /

Plus

- hydroinsulation TPO foil / flagon/
- OSB board / 18 mm / hydroponic OSB
- levelling framing + thermal insulation, mineral rockwool boards in the slope 20-100 mm
- construction timber / height 160 mm / + thermal insulation, mineral rockwool boards / rockmin plus 160 mm /
- double tape Rothoblaas Double Band
- reflective foil delta Rothoblaas BARRIER ALU NET SD150 or DÖRKEN
- sealing tape Rothoblaas Nail plaster Gemini
- timber framing / 25 mm / for instalation wiring
- bioplate wooden cladding / 18 mm /




- OAK floor / 14 mm / or VINYL floor / 6.5 mm /
- OSB board / 22 mm /
- construction timber / height 200 mm / + thermal insulation, mineral rockwool boards / 200 mm /
- extra thermal insulation, mineral rockwool boards / 40 mm /
- watherproof plywood board / 9 mm /

Wall


Basic

- thermowood or impregnated spruce facade / 25 mm / slats 60 x 25 mm
- cross netting / impregnated spruce 25 mm / battens 60 x 25 mm
- vertical netting / impregnated spruce 15 mm / battens 60 x 15 mm
- black facade foil / DÖRKEN DELTA®-FASSADE PLUS, diffuse / or Rothoblaas
- construction timber / 120 x 60 mm / + thermal insulation, mineral rockwool boards / rockmin. 120 mm /
- OSB / 12 mm / glued and taped to make a moisture membrane
- timber framing / 25 mm / battens 60 x 25 mm
- bioplate wooden cladding / 18 mm /




Standard

- thermowood or impregnated spruce facade / 25 mm / slats 60 x 25 mm
- cross netting / impregnated spruce 25 mm / battens 60 x 25 mm
- vertical netting / impregnated spruce 15 mm / battens 60 x 15 mm
- black facade foil / DÖRKEN DELTA®-FASSADE PLUS, diffuse / or Rothoblaas
- construction timber / 160 x 60 mm / + thermal insulation, mineral rockwool boards / rockmin, 160 mm /
- OSB / 12 mm / glued and taped to make a moisture membrane
- timber framing / 25 mm / battens 60 x 25 mm
- bioplate wooden cladding / 18 mm /



Plus

- thermowood or impregnated spruce facade / 25 mm / slats 60 x 25 mm
- cross netting / impregnated spruce 25 mm / battens 60 x 25 mm
- vertical netting / impregnated spruce 15 mm / battens 60 x 15 mm
- black facade foil / DÖRKEN DELTA®-FASSADE PLUS, diffuse / or Rothoblaas
- extra thermal insulation, mineral rockwool boards / 40 mm / in horizontal direction
- construction timber / 160 x 60 mm / + thermal insulation, mineral rockwool boards / rockmin. 160 mm /
- OSB / 12 mm / glued and taped to make a moisture membrane
- timber framing / 25 mm / battens 60 x 25 mm
- bioplate wooden cladding / 18 mm /
- * fireproof regulations are individual case by each country





What can you expect?

Ark-Shelter's obligations are to make our products available to the user for the duration of the agreement; or to deliver upon sale. It is transported and installed by Ark-Shelter, and also removed again if necessary. This kind of residential solution has no lasting impact for the place where it is located.

Ark-Shelter can provide further adaptation of access to the unit, e.g. by means of a ramp. The provision of necessary piping and connections is done by a subcontractor on Ark-Shelter's instructions and is carried out in consultation with the owner.

How long do I have to wait?

Depending on production pressure, we can deliver and install the unit within 3 months. Installation usually takes no longer than 6 hours per unit. While the permit is being applied for, production is started. The foundation screws are placed just before arrival of the unit.

Where can the unit be placed?

The unit can be placed anywhere provided that the roads to this location are accessible for a trailer and that the crane on site has no obstacles in the turning radius!

Which foundation is used?

The unit is placed on unpaved ground on a screw foundation; the number is determined by the size of the unit. Prefabricated concrete blocks are also an option.

How is the installation done?

An Ark arrives on a truck and is then placed in its proper place by crane.

Can the Shelter be easily removed again?

An Ark stands about 5-10 cm off the ground (insulation reasons) and is not attached to the foundation. This means that the unit can be very easily picked up and moved again.

Where are the Arks built?

Arks are built in Slovakia and then transported to their destination.

How much is the transportation cost?

The transportation cost depends on the size, but especially the width of the Ark.

How is an Ark built?

The structure of the Ark is a modular wooden frame construction. This means that single units are possible, as well as larger structures by several units linked together or stacked on top of each other.

Is the construction process sustainable?

We work with Slovak indigenous wood species; an important local resource. Our suppliers must all have the FSC label, which guarantees us an environmentally responsible approach. In addition, an Ark can be recycled up to 95% when dismantled. Furthermore, thanks to excellent insulation and ventilation, we have very low energy consumption. The combination of these factors, along with a minimal waste production process and energy-efficient appliances, ensures that our carbon footprint with this way of building and living is very limited.

How big can an Ark be?

The width is 3m, 3.5m or 4m and the length can be between 6m and 14m. By linking or stacking several units (up to 5 high) you can create larger spaces.

Can an Ark work without utilities?

The initial idea of Ark Shelter was to create a home that could function off the grid. However, for reasons of required comfort, they are usually hooked up. We have experience in installing solar panels, batteries and rainwater recovery tanks.

Is there any work to be done on site?

An Ark is fully assembled with all components. The only things that will be installed on site are a possible terrace and/or fireplace.

How will the Ark be connected to water and electricity?

A simple electricity cable can be connected to the Ark. Water supply and drainage is done by connecting to the existing sewage system; if there is no sewage system, a septic tank can be used.

What type of heating is used?

Heating is provided by default via infrared panels because of their low consumption and high efficiency. For custom applications, a fireplace can also be provided. For large projects, we rely on alternative forms of heating. We prefer to work with air-to-air heat pumps because they can also cool in the warmer summer months and thus always guarantee an optimal indoor climate.

What are the costs associated with a unit?

Initially, you have the rental price or the sales price, this is a one-time cost plus the installation cost (crane, foundation, delivery, utilities, crew etc.).

What is included in the price?

The unit arrives fully assembled on a transport; which ensures quick installation. This unit is equipped with all appliances for heating, refrigerator, combination oven, stove, etc.

This is something that some other providers do not include.

What procedures should be followed?

If you are interested in an Ark-Shelter; we will gladly send you an overview of the possibilities. Afterwards, we take care of a quick delivery and placement of the unit as well as coordination of the necessary connections. Furthermore, we also take care of the necessary permits, as the conditions vary from one municipality to another. If the unit needs to be moved, Ark-Shelter will pick it up, including the foundation screws, without any permanent or visible damage. *Warranty is void if a party not appointed by Ark-Shelter moves the unit.

What service do we offer?

Ark-Shelter's residential solutions have a very long service life. We have a team ready at all times to carry out any repairs and with a non-binding annual inspection of all essential points, we guarantee smooth operation of the unit and its accessories.

Where do you deliver?

Arks can be placed anywhere, but at present we supply and place our modular timber frame units only in Europe.

■ Interested?

Find your place, point your finger where you want it.

call +32 472 784 510

write info@arkshelter.com







BIGSEE
WOODDESIGN
AWARD 2022
WINNER





BIGSEE ARCHITECTURE AWARD 2019 WINNER



