

DECLARATION OF PERFORMANCE – NR. 004/CPR/130701

- I. Unique identification code of the product-type:

MICROPOL® A.E.A. CLEAR

- II. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

MICROPOL® A.E.A. CLEAR
(The batch number is printed on the packaging)

- III. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Air-entraining agent for concrete
Plasticizer / Air-entraining agent for mortar

- IV. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

COMPAKTUNA® bv/srl
INDUSTRIEPARK ZWIJNAARDE 6
9052 GENT - BELGIUM

- V. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):

Not relevant

- VI. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 2+

- VII. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

EN 934-2+A1: 2012 and EN 934-3+A1: 2012

The notified body **BE-CERT No. 0965** performed the initial inspection of the manufacturing plant and of the factory production control and the continuous surveillance, assessment and evaluation of the factory production control under system 2+, and issued the certificate of constancy of conformity of the factory production control No. **0965-CPR-AH 011**

- VIII. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not relevant

DECLARATION OF PERFORMANCE – NR. 004/CPR/130701

IX. Declared performance

Essential characteristics	Performance	Harmonized technical specification
Chloride ion content	< 0,1% m/m	EN 934-2+A1:2012 (T.5) EN 934-3+A1:2012 (T.2)
Alkali content	< 0,75% m/m	
Corrosion behaviour	Contains components only from EN 934-1 Annex A.1.	
Compressive strength mortar	≥ 70% of control mix	
Air content mortar	17 ± 3%	
Compressive strength concrete	≥ 75% of control mix	
Air content concrete	≥ 2,5% above control mix	
Air void characteristic in hardened concrete	≤ 0,200 mm	
Dangerous substances	NPD	

- X. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

P. D'HAENENS, DIRECTOR SOLUTIONS & PRODUCTS
(name and function)

GENT, 12/07/2023
(place and date of issue)

