

**PLANKS & TILES** 



NICE AND EASY ENG | 2020



## YOUR STYLE, YOUR FLOOR, YOUR HOME

Just like you, we love beautiful interiors and floors that almost unnoticeably create that warm feeling of home. The moment when you pour a delicious drink, put on your favourite playlist and enjoy the good life with friends, family or children. That is living as it should be: pure, beautiful and carefree with a Floorify floor tailored to your home and your life.

At home you highlight your personality. Whether you are playful, enthusiastic or serene: your interior reflects that. Which is precisely why we are proud to present our collection of Floorify floors. Because they are so versatile, can take more than a knock or two and combine the unique charm of wood, concrete or natural stone with unparalleled ease of use. This is the best of many worlds. We are convinced of that already, and now it's your turn. Discover it for yourself.





## NATURAL BEAUTY, RIGHT DOWN TO THE DETAILS

Warm colours, authentic grooves and the unique appearance of wood give your Floorify floor that natural look and feel that is so appealing.

The exceptional character of wood is reflected in many small details: the soft shine of an oiled floor, a subtle edge finish, natural plank variation and a natural, brushed texture that is always soft and warm to the touch. Each plank is finished to perfection. Because true beauty lies in the details.


## SHINE WITHOUT GLOSS

In the pre-Floorify era, vinyl floors by definition had an unnatural appearance. Floorify resolutely eliminates this. Our click floors have a matt finish for a natural look.

#### YOU FEEL WHAT YOU SEE

Lovely, that rough softness of brushed parquet. You can see the grain and the knots in the mild morning sun. And you can feel them, when you go to get that first cup of coffee of the day in your bare feet. Floorify gives you the exact same experience. An authentic look and feel.





#### **LARGE IN SIZE**

The grandeur of wide planks, the classic elegance of a herringbone floor, big tiles in concrete look for a subtle industrial touch,... Floorify has **no standard sizes**. We create each product in a way that it fits perfectly into your interior.

## BIGGER AND MORE DARING

Extra long, extra wide and a particularly natural effect. Meet the XL planks (no less than 2m long!) and big tiles of Floorify. Unusually large sizes for a maximum experience of each room. Their exceptional dimensions ensure that every chamber looks more spacious.

#### **VARIATION IS KEY**

In nature, you rarely find repetition or set patterns. Playfulness and variety abound. That is why our floors have many different planks. And that provides a very natural look.





## THE STRONGEST ATHOME

Having fun is the essence of life. And that accidents happen sometimes, is something you will gladly put up with. This is exactly why our floors are extremely **shock and stain resistant**. With **an extra thick protective layer**, an innovative top layer with anti-stain technology and the unique Floorify Rigid Core for a **stable**, **strong and shockproof core**.

Why? Because life's a party. Because as a parent you don't want to have to worry about your children playing. Because a kitchen mishap is not a disaster.





## LIKE AFISH INWATER

Floorify floors are water resistant. Not just a bit, completely. Let your living space, bathroom and bedroom seamlessly merge into one another: Floorify is at home everywhere.

The ease of use and versatility you get for free. Both for the water splashes from the shower and that spilled gin and tonic.

## SO COM-FORTABLE

IT MAKES YOU SPEECHLESS

Bring your home to life with people and music, and discover the ultimate in floor comfort. The smart combination of the sound-absorbing Floorify floor and Comfort underlay creates a wonderfully soft floor surface and an acoustic layer.

The result? A warm floor that always feels cosy and absorbs more than 21 decibels. This means you can enjoy the silence at any time, even when your teenage daughter is practising her latest dance moves.

#### **WALKING SOUND**





# THE SECRET OF FLOORIFY



#### **HELLO SUNSHINE**

Because our tiles and planks are so stable, you can also place them in direct sunlight without any problems. Let the sun shine as much as it likes!

#### **TIME FOR A PARTY**

Whatever you have to celebrate: know that your Floorify floor is there at any time for you and your family. Whether you want to parade around with your latest stiletto heels or organise a birthday party: your floor won't let you down. That's a promise.

#### **SLEEK LOOK**

With most click floors, you have to install transition profiles at regular intervals, certainly when transitioning between different rooms. This is not necessary with Floorify: our floors are **extremely stable and retain their shape**. This allows you to install up to **20x20m profile-free**. The result: a modern and sleek floor surface that creates tranquillity and gives a wonderful feeling of space.



## 1 2 3 4

#### ON ALMOST ANY SURFACE, WITHOUT PREPARATION

An existing floor or small irregularities? Just install **Floorify on top of it**. Even those ugly old tiles can stay there.

## A PERFECT MATCH FOR YOUR UNDERFLOOR HEATING

Floorify floors are thin. Very thin. That means they conduct heat very well. You can therefore combine them perfectly with underfloor heating or cooling. And as an extra plus: thanks to the minimal height you can easily keep your existing doors. If you are planning a renovation, that's a nice bonus.


You can find our detailed installation instructions at www.floorify.com.

## MILLIMETRES FULL OF POSSIBILITIES

Floorify floors are made up of 4 layers:

- Stain resistant & maintenance-friendly matte
   PU top layer. Guarantees superior stain resistance
   and protects the floor against penetrating dirt.
- 2. Extra thick transparent wear layer (0.55mm)
- 3. Authentic design in high resolution
- 4. Waterproof and sound-absorbing Floorify Rigid Core patented technology







## FOR INTERIOR LOVERS

**AND PARENTS** 

More beautiful, easier and more robust. These words are the essence of Floorify. "The fashion addict in me is crazy about having a natural wood floor in the house. The mum in me thinks mainly about practical issues. Pudding on the floor, cutting and pasting on a huge craft work for which the table is too small, painting talents that are not limited to paper: my floor must be kidsproof. Not for just a bit, but for a long time." Enter Floorify.

Floorify combines the best of both worlds: the warmth of natural materials with absolute ease of use. Including extra strength and water resistance.

#### **BELGIAN DESIGN**

Floorify is Belgian design through and through. Whichever Floorify floor you choose: as the stylist, Marie single-handedly took care of the design of the special format and the detailed design. "I let myself be inspired by everything I see and experience. From attractive interiors to impressive architecture. Are warm colours and robust materials in fashion? Then we translate that trend into a contemporary and maintenance-friendly Floorify floor. A floor that matches your home. A floor that allows you to live. And spill things. And dance. And put muddy feet on."

## THE REVOLUTION OF RIGID VINYL

By innovating with rigid vinyl planks and tiles, Pieter and Marie combine the best of two worlds: the warmth of natural materials with absolute ease of use. "Floorify actually goes one step further, because our planks and tiles are waterproof and as robust as possible. Looks and comfort in one."

Developing your own revolutionary product: it doesn't get better than that. We've done that with Floorify.


## GETTING A BUZZ FROM INNOVATION

Marie's eye for design goes hand in hand with Pieter's technical knowledge. Ask him about the density and tensile strength of Floorify and his smile appears spontaneously. "I get a buzz from materials and possibilities. Thanks to the unique rigid core and the innovative production process, with Floorify we solve all the traditional problems of click vinyl and laminate in one go. Now that's cool."

Floorify is silent, warm, waterproof and easy to lay on just about any surface. Even without preparation. "You only get the chance to launch such a revolutionary product once in your life. That's why Floorify is such a fantastic project."

## **BEFORE AND AFTER**

FROM A COLD TILES TO A COSY COCOON THANKS TO FLOORIFY



#### **FLOORIFIED!**

**Who?** Simon (27), Sarah (24) and daughter Maud (18 months)

**What?** Renovation of a semi-detached property in Lovendegem, Belgium.

**Situation?** Sarah and Simon are moving from their apartment to a large house with a garden, where their daughter will have her own cosy room.

#### New floor? Floorify!

Living room and bathroom: F100 Seychelles Dining room and hall: F023 Verona





## Floorify can be placed on top of the existing tile floor

No crushing, no dust, no hassle. Just place a new floor on top of the old one. Floorify planks and tiles just click together like laminate planks do. You place them floating (on the Floorify Comfort Underlay) and do not have to glue them. You simple cut them to size with a knife!

## FLOORIFY ADVANTAGES ACCORDING TO SIMON & SARAH:

#### 1/ It is the perfect floor for messy households

"In terms of maintenance, a parquet floor or natural stone floor simply does not suit us, as a family. In no time a plate of spaghetti sauce would end up on it, I know that I will never leave my high heels at the front door and our daughter would probably pour her cup of water over it every day. A parquet floor or natural stone floor is simply not suitable for the way we prefer to live: a bit messy, but carefree. Floorify is."

#### 2 / The floor is water and mess-resistant

"We were able to install the Floorify floor without any problems in the dining room, but also in the entrance hall (wet, dirty feet: no problem), living room and bathroom. And under the high chair where our daughter deposits a daily impressionistic artwork made from beetroot purée, crumbs, water and soggy banana chunks. The floor was installed on our ground floor without profiles and thus creates a sense of space."

#### 3 / Accidents are okay

"The top layer of Floorify floors is provided with a hyper-protective film through which, in addition to water, no stubborn stains such as permanent marker or nail polish can pass through. Simply wipe with a piece of cloth and it's gone. We know that, because we have already tested it once by accident. In addition, you can also drop a heavy object on it, without leaving a dent. Which is something we have already tested by accident"



Photos: ©Jonah Sam

#### 4 / It looks real

"Nobody realises that it is not actually a real parquet floor. The wood look is very convincing."

#### 5 / It's easy to clean

"With the vacuum cleaner. With the mop. With some water, a cloth and a pH-neutral floor cleaner."

#### 6 / Vinyl is quiet

"No orchestra of trampling children's feet or tapping high heels: Floorify is comfortable to walk on."


#### 7/ ... and warm

"Because it immediately assumes the ambient temperature, Floorify always feels warm under your feet (not uncomfortably cold, like tiles or laminate)"















RAIN IS JUST CONFETTI FROM THE SKY


































#### **HERRINGBONE**







**301** ni

**F303** Ika





**F317** Unagi

**F319** Anago

NEW = available as of April 2020



plank dimensions 750 x 125 x 4,5 mm number of planks per box 24 number of m² per box 2,25

usage class 33
wear layer 0.55

**installation** Click-floating. Only in herringbone pattern.

number of jointsV4warranty for residential use25 yearswarranty for commercial use5 years





#### **XL PLANKS**









**F096** Ile de Ré

**F097** Matterhorn

F098 Toffee

F099 Clooney







F100 Seychelles

**F101** Sabayon

**F102** Teddy Bear

NEW = available as of April 2020



plank dimensions number of planks per box number of m² per box usage class wear layer installation number of joints warranty for residential use

5 2.40 33 0.55 Click - floating

2000 x 240 x 4,5 mm

number of jointsV4warranty for residential use25 yearswarranty for commercial use5 years



F008 Alpaca




F012 Hazy Skies



F013 Cap Gris Nez

F009

Granola



F017 Champagne

F010



F018 Cider

F011







F026 Gingerbread



Cohiba



F022 Black Beauty



plank dimensions 1524 x 225 x 4,5mm 8 number of planks per box number of m² per box 2.74 33 usage class wear layer 0,55 installation Click - floating V4 number of joints warranty for residential use 25 years warranty for commercial use



## PURE DOWN TO THE DETAILS

Floors inspired by small details, sophisticated designs and fine wood structures that perfectly match your lifestyle. Classic, rustic or rather progressive: you will discover a colour palette for your taste and style.

5 years

Each plank is the result of a quest for the ultimate balance between character, colour, shine and finish. A weathered look, a distinctive patina or rather Scandinavian streamline? Be inspired and make a choice to suit you.

#### **BIG TILES**










F028 Jellyfish

F029 Coquille

F030 Pebble Beach

F014 Sea Salt









F015 Oyster

F016 Caviar

F023 Verona

F024 Terrazzo





Серро

NEW = available as of April 2020



tile dimensions 600 x 900 x 4,5 mm number of tiles per box 4 number of m<sup>2</sup> per box 2,16 usage class 33 wear layer 0,55 installation Click - floating number of joints V4 warranty for residential use 25 years warranty for commercial use

5 years



#### **PLANKS**







F050 Crémant

F051 Coconut





F052 Husky

**F053** Stonehenge





F054 Truffle

F055 Apple Crumble


plank dimensions 1219 x 178 x 4 mm number of planks per box 12 number of m<sup>2</sup> per box 2,60 usage class 32 wear layer 0,4 installation Click - floating number of joints V4 warranty for residential use 20 years


## **HOW TO INSTALL?**



## SILENT AND DUST-FREE INSTALLATION


Ideal for installation in apartments or for a renovation of an existing home. Simply cut your Floorify floor with a utility knife. No-one is bothered by noise or dust.





#### **CLICK-AND-GO**

You can lay your Floorify floor in 1-2-... no, you don't even need 3. Just roll out the underlay, click and go. Goodbye parquet glue, hello Floorify.



### SMART ACCESSORIES FOR A GRAND INTERIOR

PATENTED TECHNOLOGY

#### **VERSATILE SKIRTINGS**

The perfect match for your perfect floor: skirtings that are as wear and waterproof as your Floorify floor. And with exactly the same finish and colour.



Matching skirting Sxxx 61mm H x 10mm D



Matching high skirting Hxxx 89mm H x 10mm D



Matching strip Nxxx 3mm H x 18mm D

#### **CUSTOM PROFILES**

Enjoy a superior finish thanks to a complete range of custom profiles. Thanks to their minimalist and sleek design, they create an invisible transition between two separate floor sections. As intermediate, end and transition profiles. To us, it's only natural that they come in the same colour as your floor. Those details are there precisely to make the difference.



Matching end profile Exxx 9,4mm H x 31,4mm D




Matching transition profile Oxxx 6,2mm H x 36mm D



Matching adaptor profile Qxxx 9,4mm H x 40,6mm D

		ORDER CODE	MATCHING SKIRTING	MATCHING HIGH SKIRTING	MATCHING STRIP	MATCHING END PROFILE	MATCHING TRANSITION PROFILE	MATCHIN ADAPTO PROFILI
HERRINGBONE	(750 x 125 x 4,5mm)	(Fxxx)	(Sxxx)	(Hxxx)	(Nxxx)	(Exxx)	(Oxxx)	(Qxxx
Uni	NEW	F301	S001	H001	N001	E001	O001	Q001
lka	NEW	F303	S003	H003	N003	E003	O003	Q003
Unagi	NEW	F317	S017	H017	N017	E017	O017	Q017
Anago	NEW	F319	S019	H019	N019	E019	O019	Q019
XL PLANKS (20	00 x 240 x 4,5mm)							
lle de Ré	NEW	F096	S096	H096	N096	E096	O096	Q096
Matterhorn	NEW	F097	S097	H097	N097	E097	O097	Q097
Toffee	NEW	F098	S098	H098	N098	E098	O098	Q098
Clooney	NEW	F099	S099	H099	N099	E099	0099	Q099
Seychelles		F100	S100	H100	N100	E100	O100	Q100
Sabayon		F101	S101	H101	N101	E101	O101	Q101
Teddy Bear		F102	S102	H102	N102	E102	O102	Q102
LONG PLANKS	(1524 x 225 x 4,5mm	n)						
Paris Tan		F001	S001	H001	N001	E001	O001	Q001
Butter Crisps		F002	S002	H002	N002	E002	O002	Q002
Whitsundays		F003	S003	H003	N003	E003	O003	Q003
Wool		F004	S004	H004	N004	E004	O004	Q004
Brunette		F005	S005	H005	N005	E005	O005	Q005
Blush		F006	S006	H006	N006	E006	O006	Q006
Croissant		F007	S007	H007	N007	E007	O007	Q007
Alpaca		F008	S008	H008	N008	E008	0008	Q008
Granola		F009	S009	H009	N009	E009	0009	Q009
Cap Blanc Nez		F010	S010	H010	N010	E010	O010	Q010
Chanterelle		F011	S011	H011	N011	E011	O011	Q011
Hazy Skies		F012	S012	H012	N012	E012	O012	Q012
Cap Gris Nez		F013	S013	H013	N013	E013	O013	Q013
Champagne		F017	S017	H017	N017	E017	O017	Q017
Cider		F018	S018	H018	N018	E018	O018	Q018
Cognac		F019	S019	H019	N019	E019	O019	Q019
Cohiba		F021	S021	H021	N021	E021	0021	Q021
Black Beauty		F022	S022	H022	N022	E022	0022	Q022
Honey	NEW	F025	S025	H025	N025	E025	0025	Q025
Gingerbread	NEW	F026	S026	H026	N026	E026	0026	Q026
BIG TILES (600	x 900 x 4.5mm)							
Sea Salt	,	F014	S014	H014	N014	E014	0014	Q014
Oyster		F015	S015	H015	N015	E015	0015	Q015
Caviar		F016	S016	H016	N016	E016	0016	Q016
Verona		F023	S023	H023	N023	E023	0023	Q023
Terrazzo		F024	S024	H024	N024	E024	0024	Q024
Серро	NEW	F027	S027	H027	N027	E027	0027	Q027
Jellyfish	NEW	F028	S028	H028	N028	E028	O028	Q028
Coquille	NEW	F029	S029	H029	N029	E029	0029	Q029
Pebble Beach	NEW	F030	S030	H030	N030	E030	0030	Q030
PLANKS (1219)	x 178 x 4mm)							
Crémant		F050	S050	H050	N050	E050	O050	Q050
Coconut		F051	S050	H051	N051	E051	0051	Q051
- JUVIIUL		F052	S051	H052	N051	E052	0051	Q051 Q052
Husky		1 002	JUJ2	11032	INUJE	LUJ2	0002	QU32
Husky			5053	H053	NOSZ	F053	0053	0057
Husky Stonehenge Truffle		F053 F054	S053 S054	H053 H054	N053 N054	E053 E054	O053	Q053 Q054





### THE QUIET STRENGTH OF OUR DREAM TEAM

#### **COMFORT UNDERLAY**

A soft floor surface, additional acoustic damping and particularly suitable for underfloor heating and cooling. Yes, our Comfort underlay does exactly what its name suggests and needs less than 2 millimetres for that

The technical characteristics reinforce the power and the capabilities of your Floorify planks. Together they form an inseparable duo.

Floorify Comfort Underlay U001 15m² per roll – 2mm thick

## EASY TO MAINTAIN, EASY TO LOVE

#### CONNY

A quick cleaning to remove dirt, grease or footprints? Conny maintenance product is your best friend. If you like to clean, then this product is the best of the class.

#### **CONNY TURBO**

Stubborn dirt needs a stubborn approach. Thanks to Conny Turbo maintenance product, you will easily win the fight against the most dirty spots. This product is recommended after you have installed your Floorify floor.

Floorify Conny M001

1L

Floorify Conny Turbo M002

1L

### DURABLE ON ALL FRONTS

## •

### Floorify contains **no harmful substances**:

#### A+ certification

A series of strict quality tests resulted in an A+ certificate in terms of indoor air quality.

#### Plasticizer-free core

Plasticizers are chemical substances used in the production of flexible vinyl floors. Because the core of a Floorify floor is rigid, it does not contain any plasticizers.

#### REACH compliant

Floorify effortlessly complies with all European directives (REACH) regarding the use of hazardous substances.

#### TVOC < 10 µg

Floorify contains no glue and should not be glued either. So no worries about harmful VOCs. With <10 µg, Floorify is 100x better than the European standard.

#### ..... 100% RECYCLABLE

#### Floorify is **installed floating**.

Without glue, so it's easy to remove.

#### Floorify is a **homogeneous** product.

It does not consist of different materials, so it's easy to recycle.

Floorify meets all the conditions of the **circular economy**.

#### **LONG-TERM USE**

## Floorify stands for **sustainable** use of high-quality plastics.

The lifespan of a Floorify rigid vinyl floor is particularly long: we even offer a warranty up to 25 years!

Longer than:

plastics used in disposable products such as plastic bags or straws,

plastics used in "sustainable" applications such as cars or smartphones.





## TECHNICAL DATA SHEET



PROD	UCT DATA		BONE	PLANKS	PLANKS	TILES			BONE	PLANKS	PLANKS	TILES	
Width		ISO24337	125 mm	240 mm	225 mm	600 mm	Total thickness	ISO24337	4,5 mm	4,5 mm	4,5 mm	4,5 mm	
Length		ISO24337	750 mm	2000 mm	1524 mm	900 mm	Top layer thickness	EN429	0,55 mm	0,55 mm	0,55 mm	0,55 m	
Number pack	r of panels per		24 pc	5 pc	8 pc	4 pc	Core	Sound reducing, robust and waterproof Floorify® Rigid Core					
m² per p	pack		2,25 m <sup>2</sup>	2,40 m²	2,74 m <sup>2</sup>	2,74 m² 2,16 m² <b>Finish</b>			Protected with stain resistant Floorify® Quiet Sense Technology				
Weight per pack ISO23997			20,08 kg	20 kg	22 kg	17,6 kg	Locking method	Traditional glueless click under license of Unilin					
WARR	ANTY												
	Usage clas	ss	ISO1	0582	33								
$\epsilon$	CE CE		EN14	EN14041 DoP		001							
	Warranty		Resid	Residential use 25 yea		5							
FECHNICAL DATA				NORM REQUIRE			JIREMENTS	FLOORIFY® VALUES					
	Wear resistance		EN1	EN13329, Annex E		≥ 2000 cycles		≥ 4000 cycles - AC4					
Î Î	Impact resistance		EN1	EN13329		≥ 1600mm		In combination with Floorify® Comfort Underlay: >1800mm - IC3					
	Residual indentation		ISO2	ISO24343-1		≤ 0,1mm		OK in combination with Floorify® Comfort Underlay					
	Stain resistance		EN4	EN423		Groups 1 and 2: grade 5; Group 3: grade 4		Groups 1, 2 and 3: grade 5					
	UV resistance			ISO 105-B02:1994, Method 3a		6 minimum		>6					
B <sub>fi</sub> -s1	Fire classification			EN 13501-1 ISO 9239-1				Bfl-s1					
Bn-s1	Dimensional stability			EN ISO23999 6 hours at 80°C		≤ 0,25%		≤ 0,10%					
€ →	Locking strength		ISO2	ISO24334		Long side: > 1kN/m Short side: > 1,5kN/m		Long side: > 8kN/m Short side: > 8kN/m (n/a herringbone)					
	Displacement of furniture feet		et EN4	EN424		Foot 0,1mm	/ 32kg	No changes					
	Castor chairs		EN4	EN425		> 25000 cycl disturbance	es: No delamination, no	OK in combination with Floorify® Comfort Underlay					
°K¶ DS	Slip resistance			EN13893 DIN 51130:2014				DS R10					
<b>6</b> 00	Swelling		ISO2	ISO24336		< 18%		0%					
	Thermal resistance (floor + underlay)		EN1	EN12667		< 0,15R(m²K/W)		0,0686R(m²K/W) (0,0146 floor + 0,0540 Comfort underlay)					
	Floor heating		Appropriate for all standa			ard heating systems IN cement flooring.		NOT appropria	te for heatin	g films.			
	Impact sound improvement		ISO7	ISO712		ΔLw18Db		In combination with Floorify® Comfort Underlay: $\Delta$ Llin10Db = $\Delta$ Lw21Db					
°Е1	1 Formaldehyde		EN1	4041				E1					
	TVOC 28	days				< 1000µg/m³	5	< 10µg/m³					
A	+ Emission		Dec	ree n°2011-	-321			A+					

Floorify® floors and accessories are fully REACH compliant

Floorify NV reserves the right to make alterations to material and structures when this serves to improve the quality

## TECHNICAL DATA SHEET



	JILLI								
PRODUCT DATA			PLANK	S			PLANKS		
Width		ISO24337	337 178 mm		Total thickness	ISO24337	4 mm		
Length		ISO24337	1219 m	m	Top layer thickness	EN429	0,4 mm		
Number	r of panels per pack		12 pc		Core	Sound reducir Floorify® Rigid	ng, robust and waterproof d Core		
m² per p	pack		2,60 m²	·	Finish	Protected with stain resistant Floorify® Quiet Sense Technology			
Weight	per pack	ISO23997	19,9 kg	1	Locking method	Traditional glueless click under license of Unilin			
WARR	ANTY								
	Usage class	ISO10582	32						
( (	CE	EN14041	DoP FF	001					
	Warranty	Residential use	20 years	rs .					
TECH	NICAL DATA		NORM RE		REMENTS	FLOORIFY® VALUES			
	Wear resistance	EN13329, Anne	ex E	≥ 1200 cycles		≥ 1600 cycles	- AC3		
( Ô	Impact resistance	EN13329		≥ 1200mm		In combination with Floorify® Comfort Underlay: 1800mm - IC3			
	Residual indentation	ISO24343-1 ≤		≤ 0,2mm		OK in combination with Floorify® Comfort Underlay			
	Stain resistance			Groups 1 and 2: grade 5; Group 3: grade 4		Group 1, 2 and 3: grade 5			
	UV resistance	ISO 105-B02:1994, Method 3a		6 minimum		> 6	> 6		
B <sub>II</sub> -s1	Fire classification	EN 13501-1 ISO 9239-1				Bfl-s1			
K Z	Dimensional stability	EN ISO23999 6 hours at 80°C		≤ 0,25%		≤ 0,10%			
B <sub>H</sub> -s1	Locking strength	ISO24334		Long side: > 1 Short side: > 1			Long side: > 4,5kN/m Short side: > 4,5kN/m		
	Displacement of furniture feet	EN424		No visual dam	age	No changes			
	Castor chairs	EN425		> 25000 cycles: No delamination, no disturbance		No visible changes			
DS-	Slip resistance	EN13893 DIN 51130: 201	4			DS R10			
°∆₀	Swelling	ISO24336		< 18%		0%			
	Thermal resistance (floor + underlay)	EN12667		< 0,15R(m²K/W)		0,0660R(m²K/W) (0,012 floor + 0,0540 Comfort underlay)			
	Floor heating Appropriate for all star		all standa	rd heating syst	ems IN cement flooring.	NOT appropriate	for heating films.		
	Impact sound improvement ISO712			ΔLw18Db		In combination with Floorify® Comfort Underlay: $\Delta \text{Llin10Db}$			
E1 HCHO	Formaldehyde emission	EN14041				E1			
	TVOC 28 days			< 1000µg/m³		< 10µg/m³			
Schalcou posa cade la	Emissions in the interior air	Decree n°2011	-321			A+			

**REACH** Floorify® floors and accessories are fully REACH compliant

REACH



Choosing a floor is not only done with your mind. You must be able to see, feel and experience for yourself the effect of each design and finish. Rely on our experts, who are happy to make their expertise available to help you. **Find an expert in your neighbourhood at www.floorify.com** 



#### **FLOORIFY WARRANTY**

In addition to the legal guarantee, Floorify offers an additional extended warranty for customers who register their products in our warranty database. Registration entitles customers to the following warranty:

HERRINGBONE, XL PLANKS, LONG PLANKS, BIG TILES | 4,5MM THICKNESS - CL33 25 years warranty for residential use, 5 years warranty for commercial use.

PLANKS | 4MM THICKNESS - CL32 20 years for residential use.

This warranty is limited and is restricted to the warranty terms and conditions as found at www.floorify.com

In order to invoke the extended warranty, registration is required. This can be done quite easily in one of the following ways:

- 1. Complete the online registration form on www.floorify.com under help/warranty registration
- 2. Or send an email to warranty@floorify.com with your name, a clearly legible photo of your proof of purchase (the date on the receipt is considered the starting date of the warranty period) and a legible photo of a box label of the installed floor (this gives us all the necessary information about the product).

Once the registration is completed, we will provide you with proof of the extended warranty.

