

MOUNTING OPTIONS PARASOL COLLECTIONS

FIXATION ON HARD GROUND

Round support to install the pole on a hard ground (concrete - wood) or on an Umbrosa base. For all collections except Ingenua.


ROUND SUPPORT MONO PARASOLS

Paraflex Mono	Infina Nata	Spectra 90° Eclisum	Spectra 80°Versa Icarus
ROUNDSUPPORTTYPE1	ROUNDSUPPORTTYPE2	ROTATIONSUPPORT-90 (support + rotation disc)	ROTATIONSUPPORT-80 (support + rotation disc)
			

	LxWxH cm	LxWxH ft	Weight kg/lbs	LxWxH cm packaging	LxWxH ft packaging	Weight kg/lbs packaging
ROUNDSUPPORTTYPE1	14x14x49	5.51"x5.51"x19.29"	2,5/5.5	50x22x22	19.69"x8.66"x8.66"	2,8 / 6.1
ROUNDSUPPORTTYPE2	13x13x41	5.12"x5.12"x16.14"	1,8/3.9	50x22x22	19.69"x8.66"x8.66"	2,8 / 6.1
ROTATIONSUPPORT-90	16x16x54	6.3"x6.3"x21.26"	5,3 / 11.6	50x22x22	19.69"x8.66"x8.66"	6,3 / 13.8
ROTATIONSUPPORT-80	16x16x54	6.3"x6.3"x21.26"	5,3 / 11.6	50x22x22	19.69"x8.66"x8.66"	6,3 / 13.8

Note: Rotational support to install the pole on a hard surface (wood-concrete) – notch in the surface is needed (see installation manual).
Alternatively you can order spacers from Umbrosa.

ROUND SUPPORT DUO, OPPOSITE AND MULTI PARASOLS

Spectra Duo	Spectra Opposite	Spectra Multi	Paraflex Duo & Multi
DUOROTATIONSUPPORT (support + rotation disc)	OPPROTATIONSUPPORT (support + rotation disc)	MULTISUPPORT	UM-ROUNDSUPPORT-90
			


	LxWxH cm	LxWxH ft	Weight kg/lbs	LxWxH cm packaging	LxWxH ft packaging	Weight kg/lbs packaging
DUOROTATIONSUPPORT	18x17x49	7.87"x7.87"x19.29"	11/24.2	50x22x22	19.69"x8.66"x8.66"	12/26.4
OPPROTATIONSUPPORT	20x16x54	7.09"x6.69"x21.26"	11,2/24.6	50x22x22	19.69"x8.66"x8.66"	12,2/26.8
MULTISUPPORT	20x20x49	7.87"x6.3"x21.26"	7,8/17.1	50x22x22	19.69"x8.66"x8.66"	8,8/19.3
UM-ROUNDSUPPORT-90	21,5x21,5x49	8.46"x8.46"x19.29"	3,8 / 8.3	50x22x22	19.69"x8.66"x8.66"	4,8/10.5

MOUNTING OPTIONS

FIXATION IN SOFT GROUND

Concrete anchorage to install the pole in a "soft" ground pouring concrete.
For all collections except Ingenua.

INGROUNDANCHORTYPE1



	LxWxH cm	LxWxH ft	Weight kg/lbs	LxWxH cm packaging	LxWxH ft packaging	Weight kg/lbs packaging
INGROUNDANCHORTYPE1	13x13x41	5.12"x5.12"x16.14"	2,4/5.3	50x22x22	19.69"x8.66"x8.66"	3,4/7.4

CONCRETE BASE

concrete base black - 40kg

CONCRETEBASE40BLACK



concrete base natural - 40kg

CONCRETEBASE40



concrete base black - 60kg

CONCRETEBASE60BLACK



concrete base natural - 60kg

CONCRETEBASE60



	LxWxH cm	LxWxH ft	Weight kg/lbs	LxWxH cm packaging	LxWxH ft packaging	Weight kg/lbs packaging
Concrete base 40kg	58x58x8	1'10.8"x1'10.8"x3.1"	40/88	61x70x10	2'x2'3.5"x3.9"	42/92.6
Concrete base 60kg	58x58x12	1'10.8"x1'10.8"x4.7"	60/132	61x70x14	2'x2'3.5"x5.5"	62/136.7

SMALL FLAT BASE


Infina

FLATBASE-S-ALU




Infina | Nata

FLATBASE-S-BLACK




Infina | Nata

FLATBASE-S-LIME




Infina

FLATBASE-S-WHITE



Infina

FLATBASE-S-BRONZ



Extra weight plate compulsory for umbrella 3x3m and bigger (FIBASEEXTRA)

	LxWxH cm	LxWxH ft	Weight kg/lbs	LxWxH cm packaging	LxWxH ft packaging	Weight kg/lbs packaging
Small Flat Base 50kg	73x73x8,5	2'4.7"x2'4.7"x3.35"	50/110	80x80x7	2'7.5"x2'7.5"x2.76"	51/112.2
Extra Weight 20kg	58x58x1	1'11"x1'11"x0.4"	20,5 / 45.1	62x62x1,1	2'0.4"x2'0.4"x0.43"	21/46.2

Wheelset included - Weightplate is standard in Galva finish (silvergry)

LARGE TANDARD TILE BASE

Paraflex Mono, Duo & Multi

Spectra | Icarus

TILEBASESTD-L-ALU



Spectra

TILEBASESTD-L-BLACK



Spectra

TILEBASESTD-L-LIME




Spectra

TILEBASESTD-L-WHITE



Spectra

TILEBASESTD-L-BRONZ



	LxWxH cm	LxWxH ft	Weight kg/lbs	LxWxH cm packaging	LxWxH ft packaging	Weight kg/lbs packaging
TILEBASESTD-L-COLOUR	88,6x88,6x22	34.88"x34.88"x8.66"	17,5/37.4	90x90x16	35.43"x35.43"x6.3"	18/39.6

Wheelset included

Recommended weight for tiles : 177 kg or 389.4 lbs

Recommended tiles Europe – 40x40x4,5 cm // USA – 16"x16"x1.75"

You need 12 tiles for the Large Standard Tile base – see Manual.

LARGE PX TILE BASE

TOP PLATE

Paraflex | Spectra | Versa | Eclisum | Icarus

BASETOPPLATEWOOD-L




Versa | Eclisum

BASETOPPLATEPAPY-L




Paraflex | Spectra | Versa | Eclisum | Icarus

BASETOPPLATEBLAC-L



Spectra | Versa | Icarus


BASETOPPLATELIME-L



Cover: Thermo Poplar*


Versa

BASETOPPLATEGRBE-L



Versa

BASETOPPLATEEACL-L




Spectra | Versa

BASETOPPLATEWHITE-L



Spectra | Versa

BASETOPPLATEBRONZ-L




*Our wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

BASE FRAME

Versa | Eclisum

BASEFRAMEXPAPY-L




Paraflex | Spectra | Versa | Eclisum | Icarus

BASEFRAMEXBLAC-L




Spectra | Versa | Icarus

BASEFRAMEXLIME-L




Versa

BASEFRAMEXGRBE-L




Versa

BASEFRAMEXEACL-L




Spectra | Versa

BASEFRAMEXWHITE-L



Spectra | Versa

BASEFRAMEXBRONZ-L



Recommended weight for tiles :
177 kg or 389.4 lbs
Recommended tiles:
Europe : 40x40x4,5 cm
USA : 16"x16"x1.75"
You need 12 tiles for the Large Tile Base
PX – see manual.

	LxWxH cm	LxWxH ft	Weight kg/lbs	LxWxH cm packaging	LxWxH ft packaging	Weight kg/lbs packaging
Base with coated top plate	88,8x88,8x22	34.96"x34.96"x8.66"	32/70.4	90x90x16	35.43"x35.43"x6.3"	33/72.6
Base with wooden top plate	88,8x88,8x24	34.96"x34.96"x9.45"	32/70.4	90x90x17	35.43"x35.43"x6.69"	33/72.6

Wheelset included

LARGE FLAT BASE


Paraflex | Spectra | Icarus

FLATBASE-L-ALU




Versa | Eclisum

FLATBASE-L-PAPY




Paraflex | Spectra | Versa | Eclisum | Icarus

FLATBASE-L-BLAC




Spectra | Versa | Icarus

FLATBASE-L-LIME



Paraflex | Spectra | Versa | Eclisum | Icarus


FLATBASE-L-WOOD



Cover: Thermo Poplar


Versa

FLATBASE-L-GRBE




Versa

FLATBASE-L-EACL




Spectra | Versa

FLATBASE-L-WHITE



Spectra | Versa

FLATBASE-L-BRONZ





	LxWxH cm	LxWxH ft	Weight kg/lbs	LxWxH cm packaging	LxWxH ft packaging	Weight kg/lbs packaging
Base with coated top plate	90x90x11	2'11"x2'11"x4,33"	180/397	120x92x30	3'11"x3'02"x11"	190/419
Base with wooden top plate	90x90x13	2'11"x2'11"x5,12"	180/397	120x92x30	3'11"x3'02"x11"	190/419

Wheelset included - Weightplate in standard in Galva finish (silvergry)



MOUNTING OPTIONS & BASES

DIMENSIONS BASES



CONCRETE BASE




SMALL FLAT BASE




LARGE STANDARD TILE BASE



LARGE FLAT BASE



LARGE PX BASE



*Weight is with 12 tiles included

MOUNTING OPTIONS

MOUNTING OPTIONS FOR THE INGENUA COLLECTION

HARD SURFACE

SOFT SURFACE

UM-ROUNDSUPPORT-90



UM-ROUNDSUPPORT-80



INGROUNDANCHORAGE-90



INGROUNDANCHORAGE-80



	LxWxH cm	LxWxH ft	Weight kg/lbs	LxWxH cm packaging	LxWxH ft packaging	Weight kg/lbs packaging
UM-ROUNDSUPPORT-90	21,5x21,5x49	8.46"x8.46"x19.29"	3,8 / 8.3	50x22x22	19.69"x8.66"x8.66"	4,8 / 10.5
UM-ROUNDSUPPORT-80	21,5x21,5x49	8.46"x8.46"x19.29"	3,8 / 8.3	50x22x22	19.69"x8.66"x8.66"	4,8 / 10.5
INGROUNDANCHORAGE-90	90x15x4,5	35.43"x5.91"x1.97"	5,5 / 12.1	91x20x5	35.83"x7.87"x1.97"	6 / 13.2
INGROUNDANCHORAGE-80	90x15x4,5	35.43"x5.91"x1.97"	5,5 / 12.1	91x20x5	35.83"x7.87"x1.97"	6 / 13.2

NICE TO KNOW

- Spare parts available
- Designed and manufactured in Belgium
- Warranty between 10 and 2 years, please consult our warranty policy at www.umbrosa.com
- Download owner's manual (QR-code included), also available at www.umbrosa.com
- Wind speeds up to 6 beaufort, 50 km/h, 31 mph when base is permanently fixed (for details, please check our wind spec sheet)
- Tested at TU Delft

SAFETY STATEMENTS & WARNINGS

- Product is suitable for light wind and/or light rain only.
- Position product in direction of wind as recommended in user manual.
- Do not use product in inclement weather, such as strong wind, thunderstorms, heavy rain or snow, and make sure that the umbrella is closed and stored in advance.
- Never allow the umbrella to flap in the wind. This could cause personal injury, damage to personal property, damage to umbrella and/or umbrella canopy.
- Close product and secure strap when not in use.
- Do not use product without its base or unless attached to building structure, and keep umbrella secured to umbrella base or mount at all times.
- Do not use product over or near harsh chemicals or open flames.
- Place product on stable and level surface.
- Do not allow children to assemble or operate product.
- Do not leave product unattended.
- Store product indoors during winter and extreme weather conditions.
- When adjusting or assembling the umbrella or umbrella base, make sure fingers, toes or any other parts of the body are clear from moving parts. Failing to do so may result in serious injury.
- Only use Umbrosa replacement parts.
- Read owner's manual.
- Any modifications to the product or failure to follow recommended care will void the warranty.
- Wind damage is not covered under our limited warranty.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. Of course we do our best to eliminate all mistakes, but Umbrosa is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.