

MODEL



FRAME COLORS


Ral 9018	Ral 9005
Papyrus white	Black

FABRIC COLORS


Natural	Canvas	Grey	Taupe		
Marble	Sand	Flanelle	Black		
Acqua	Apio	Nectar	Terra	Lin	Avena

BASES


TOP PLATE

		
RAL 9018 - Papyrus white	RAL 9005 - Black	Thermo poplar*


BASE FRAME

		
RAL 9018 - Papyrus white	RAL 9005 - Black	Galvanised steel

POSITIONS




DIMENSIONS



	$\pm 2\%$ A	B	C	D	E	$h1_{max}$	$h1_{min}$	$h2_{max}$	$h2_{min}$	$h3_{max}$	$h3_{min}$
	cm/ft	cm/ft	cm/ft			cm/ft	cm/inch	cm/ft	cm/ft	cm/ft	cm/ft
Eclisum	270/8' 10"	300/9' 10"	244/8' 0.1"	+90°	102°	400/13' 1.5"	28/11"	220/7' 2.6"	190/6' 2.8"	240/7' 10.5"	270/8' 10.3"




DIMENSIONS BASE



Wheelset included
Recommended weight for tiles : 177 kg or 389.4 lbs
Recommended tiles Europe – 40x40x4,5 cm // USA – 16"x16"x1.75"
You need 12 tiles for the Large Tile Base PX – see manual.

Base dimensions	L x W x H cm	L x W x H ft	weight kg/lbs
Large PX Tile Base + Powder coated top plate	88,8x88,8x22	34.96"x34.96"x8.66"	32/70.4
Large PX Tile Base + Wooden top plate	88,8x88,8x24	34.96"x34.96"x9.45"	32/70.4
Large Flat base	90x90x10	35.43"x35.43"x3.93"	180/397


ROUND SUPPORT



Geomet (marine grade)
coated steel 8mm/0.3"
Nylon 1mm/0.04"

For non-permanent base options – see spec sheet Installation Options

MATERIALS



FABRIC

Colorum – 100% Acryl 260 gr/m²
More details – see spec sheet Fabrics



RIBS

Glass fiber Ø 6mm/0.23"



POLE

Aluminum powder
coated RAL 9005
Black or RAL 9018
Papyrus White

OTHER MATERIALS

Handle: stainless steel plate 136 (6mm/0.23")
powder coated RAL 9005 TEC
Hooks: powder coated RAL 9005 TEC
Ring fixation: powder coated RAL 9005 TEC



BASE FRAME

Galvanised steel, powder coated
RAL 9018 Papyrus White, RAL 9005
Black.



BASE TOP PLATE

Galvanised steel, powder coated
RAL 9018 Papyrus white, RAL 9005 Black,
RAL 1013 Beige Limestone,
Wooden cover Thermo Poplar*

For projects – consult Umbrosa for powder coating finish options (RAL).

Contact us for the details on the MOQ.

*Our wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

PACKAGING & TRANSPORT

Eclisum PX	L (cm)	W (cm)	H (cm)	Weight (kg)	L (ft)	W (ft)	H (ft)	Weight (lbs)
Umbrella packaging	247	53	39	50	8'1.2"	1'8.9"	1'3.4"	121
Large PX base frame packaging	88.8	88.8	15	32	2'11"	2'11"	5.9"	70.4
Large Flat base underframe palette	120	92	30	120	3'11"	3'0.2"	11.8"	397
Powder coated top plate packaging	90	90	10	6.5	2'95"	2'95"	3.9"	14.3
Wooden top plate packaging	90	90	10	6.5	2'95"	2'95"	3.9"	14.3

NICE TO KNOW

- Spare parts available
- Designed and manufactured in Belgium
- Warranty between 10 and 2 years, please consult our warranty policy at www.umbrosa.com
- Download owner's manual (QR-code included), also available at www.umbrosa.com
- Storage bag included (Color : Flanelle)
- Wind speeds up to 3 beaufort, 20 km/h, 12 mph when base is permanently fixed
- Tested at TU Delft

SAFETY STATEMENTS & WARNINGS

- Product is suitable for light wind and/or light rain only.
- Position product in direction of wind as recommended in user manual.
- Do not use product in inclement weather, such as strong wind, thunderstorms, heavy rain or snow, and make sure that the umbrella is closed and stored in advance.
- Never allow the umbrella to flap in the wind. This could cause personal injury, damage to personal property, damage to umbrella and/or umbrella canopy.
- Close product and secure strap when not in use.
- Do not use product without its base or unless attached to building structure, and keep umbrella secured to umbrella base or mount at all times.
- Do not use product over or near harsh chemicals or open flames.
- Place product on stable and level surface.
- Do not allow children to assemble or operate product.
- Do not leave product unattended.
- Store product indoors during winter and extreme weather conditions.
- When adjusting or assembling the umbrella or umbrella base, make sure fingers, toes or any other parts of the body are clear from moving parts. Failing to do so may result in serious injury.
- Only use Umbrosa replacement parts.
- Read owner's manual.
- Any modifications to the product or failure to follow recommended care will void the warranty.
- Wind damage is not covered under our limited warranty.