

## MODELS





## **POSITIONS**





# COLORS




#### **FRAME**

Ral 7047	Ral 9016	Ral 1013	Ral 8014	Ral 9005	
Anodised aluminium	White	Beige Limestone	Bronze	Black	


All colors of the fabric range furniture grade Solids' (no stripes or patterns) are available on special request with a minimum order quantity of 10 pcs.

Contact Umbrosa for more information.

## **DIMENSIONS**



### DIMENSIONS FOR BASE AND ROUND SUPPORT



	Α.	D	_	D		Г	G
	mm/inch	mm/inch	mm/inch	mm/inch	mm/inch	mm/inch	mm/inch
spigot and pole dimensions	50/2"	45/1.8"	215/8.5"	170/6.7"	45/1.8"	11/0.43"	52/2.1"



Base dimensions	LxWxHcm	LxWxHft	weight kg/lbs
Concrete base 60kg	58x58x12	1'10.8"x1"10.8"x4.7"	60/132
Small Flat base* 50 kg	73.5x73.5x8.5	2.'9"x2'4.9"x3.3"	50/110

Small Flat Base - 50kg

All dimensions are without support

<sup>\*</sup>Small Flat base: wheelset included



### **MATERIALS**



FABRIC

100% Acryl 260 gr/m<sup>2</sup>

More details - see spec sheet Fabrics



RIRS

Naturally anodized aluminum



POLE

Naturally anodized aluminum or powder coated

#### OTHER MATERIALS

Cables: stainless steel Ø 2mm

Top plate: aluminum powder coated

Hub: marine grade stainless steel (316)

Rope: Ø 5mm

For projects – consult Umbrosa for powder coating finish options (RAL). Contact us for the details on the MOQ.

#### PACKAGING & TRANSPORT

Infina	L (cm)	W (cm)	H (cm)	Weight (kg)	L (ft)	W (inch)	H (inch)	Weight (lbs)
Umbrella box	280	26	26	11	9'2.2"	10.2"	10.2"	24.2
Small Flat base 50kg packaging	84	80	7	51	2'9.1"	2'7.5"	2.8"	112.2
Concrete base 60kg packaging	61	70	14	61	2'	2'3.5"	5.5"	134.5

### NICE TO KNOW

- Spare parts available
- Designed and manufactured in Belgium
- Warranty between 10 and 2 years, please consult our warranty policy at www.umbrosa.com
- Download owner's manual (QR-code included), also available at www.umbrosa.com
- Storage bag included (PU coated fabric)
- Wind speeds up to 4 beaufort, 28 km/h, 18 mph when base is permanently fixed (for details, please check our wind spec sheet)
- Tested at TU Delft

#### **SAFETY STATEMENTS & WARNINGS**

- · Product is suitable for light wind and/or light rain only.
- Position product in direction of wind as recommended in user manual.
- Do not use product in inclement weather, such as strong wind, thunderstorms, heavy rain or snow, and make sure that the umbrella is closed and stored in advance.
- Never allow the umbrella to flap in the wind. This could cause personal injury, damage to personal property, damage to umbrella and/or umbrella canopy.
- · Close product and secure strap when not in use.
- Do not use product without its base or unless attached to building structure, and keep umbrella secured to umbrella base or mount at all times.
- · Do not use product over or near harsh chemicals or open flames.
- Place product on stable and level surface.

  Po not allow children to assemble or open.
- Do not allow children to assemble or operate product.
- Do not leave product unattended.
- Store product indoors during winter and extreme weather conditions.
- When adjusting or assembling the umbrella or umbrella base, make sure fingers, toes
  or any other parts of the body are clear from moving parts. Failing to do so may result
  in serious injury.
- Only use Umbrosa replacement parts.
- Read owner's manual.
- Any modifications to the product or failure to follow recommended care will void the warranty.
- Wind damage is not covered under our limited warranty.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. Of course we do our best to eliminate all mistakes, but Umbrosa is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.